Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 682 (2003) 291–292
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 682

Ackermann, M.N., 248
Adams, R.D., 113
Ali, S., 188
Ali Khan, A., 212
Andrade, L.H., 35
Andy Hor, T.S., 73
Ayazi, A., 180

Barišić, L., 131
Bertrand, G., 263
Billing, D.G., 2
Bochkarev, M.N., 218
Boixassa, A., 233
Bourissou, D., 263
Braga, A.L., 35

Cai, M., 20
Calhorda, M.J., 204
Campo, J.A., 26
Cano, M., 26
Captain, B., 113
Casarin, M., 255
Chau, A., 8
Chen, J., 59
Choi, J.-C., 66
Coville, N.J., 2
Cruz, I., 8

Dagorne, S., 240
del Villar, A., 155
Dötz, K.H., 260
Dumitrescu, A., 263

Eichele, K., 149
El-Kaderi, H.M., 224
El-Wareth Sarhan, A., 49
Eriksson, J., 172

Fagin, A.A., 218
Fan, H.-T., 108
Fernandes, A.C., 14
Fu, W., 113
Fukin, G.K., 218

Gallucci, J.C., 85
Gómez, S., 26
Gornitzka, H., 263
Greene, D.L., 8
Guerchais, V., 260

Hajdu, C., 143
Håkansson, M., 172
Haquette, P., 240
Hashimoto, M., 267
He, L., 59
Heras, J.V., 26
Herber, R.H., 163
Herberhold, M., 180
Hilmersson, G., 172
Holczknecht, O., 143
Horwood, O.P.M., 2
Hou, X.-F., 123
Huang, Y., 20
Huang, Z., 59
Humphrey, M.G., 41

Inagaki, S., 119
Ito, S., 79
Izumi, T., 49

Jane Heeg, M., 224
Jaouen, G., 240
Jones, P.G., 212

Kantardjieff, K., 8
Kaska, W.C., 149
Katkova, M.A., 218
Kijima, T., 49
Kim, Y., 85
Kirchner, K., 204
Kunai, A., 267
Kunicki, A.R., 196

Lang, H., 155
LeBlanc, E.B., 248
Le Bozec, H., 260
Lee, K.-H., 267
Levendis, D.C., 2
Li, Z., 73
Lin, C., 59
Liu, Y., 102
Lugan, N., 233

Mack, H.-G., 149
Madura, I., 196
Maher, I.A., 248
Maki, N., 66
Marchis, V., 143
Martín-Vaca, B., 263
Mathieu, R., 233
Mayer, H.A., 149
Mendez, C., 8
Meo, M., 143
Micskei, K., 143
Milius, W., 180, 188
Mito, S., 108
Mok, K.F., 73
Monreal, M., 8
Mueller, A.G., 163

Nareetsile, F.M., 2
Naruse, Y., 119
Nelson, J.H., 272
Nemet, I., 131
Neumann, C., 212
Nishide, K., 79
Nowik, I., 163

Ohashi, S., 119
Ohshita, J., 267

Pályi, G., 143
Pan, Y., 102
Pandolfo, L., 255
Pang, Z., 123
Patonay, T., 143
Pavlović, G., 131
Perles, J., 26
Pons, J., 233
Potuznik, S., 149
Pritzkow, H., 131

Rapić, V., 131
Raz, R.V., 248
Rende, D.E., 85
Rheinwald, G., 155
Rhoden, C.R.B., 35
Robinson, M.P., 248
Romão, C.C., 14
Ros, J., 233
Royo, B., 14
Rüba, E., 204
Ruiz-Valero, C., 26

Sakakura, T., 66
Schick, B., 8
Schmid, R., 204
Schottenberger, H., 163
Schuler, N., 163
Silveira, C.C., 35
Smith, M.D., 113
Song, C., 20
Streubel, R., 212
Sun, H., 59
Sun, J., 102
Szumacher, S., 196

Takahashi, T., 108
Tang, C.-Z., 123

Elsevier B.V.
doi:10.1016/S0022-328X(03)00880-5

Tikkanen, W., 8
Torralba, M.C., 26

Ulrich, K., 260
Usher, A.J., 41

Vestergren, M., 172

Walfort, B., 155
Welter, R., 240
Wenj, T., 8
Willis, A.C., 41
Wilson, D.C., 272
Winter, A.M., 149
Winter, C.H., 224

Wismach, C., 212
Wojcicki, A., 85
Wrackmeyer, B., 180, 188
Wu, K., 59
Wurst, K., 163

Xi, Z., 108

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 682 (2003) 293–297
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 682

Aggregation
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
Alkenes
Novel zwitterionic heterocycles containing hypervalent tin, 188
Alkoxydichloroaluminum
The products formed in the reaction of $MeAlCl_2$ with alcohols (1:1), 196
Alkynes
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[RuCp(CH_3CN)_3]PF_6$, 204
Aluminum alkoxides
The products formed in the reaction of $MeAlCl_2$ with alcohols (1:1), 196
Amidinate
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
Amidine
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
Amino acid complexes
Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
α-Amino acids
Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
Arene Complexes
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[RuCp(CH_3CN)_3]PF_6$, 204
2-(Arylazo)imidazole complexes
Synthesis and characterization of *cis*-$Mo(CO)_4(L–L')$ and *cis*-$Mo(CO)_2(L–L')_2$ complexes of *N*(1)-methyl-2-(arylazo)imidazoles (L–L'). Correlations of spectroscopic data with substituent effects, 248
Asymmetric catalysis
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-}(Me_2Ga\text{-}\mu\text{-}OCH(C_6H_5)CH(CH_3)\text{-}\mu\text{-}NHCH_3)]_2$, 102
Azobenzene
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
Azoimine complexes
Synthesis and characterization of *cis*-$Mo(CO)_4(L–L')$ and *cis*-$Mo(CO)_2(L–L')_2$ complexes of *N*(1)-methyl-2-(arylazo)imidazoles (L–L'). Correlations of spectroscopic data with substituent effects, 248
Azoles
Novel zwitterionic heterocycles containing hypervalent tin, 188

Benzo-1,3-dithiole-2-ylidene moieties
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49

Bidentate arsine palladium(0) complex
Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
Bimetallic clusters
Metallation of $PtRu_5(CO)_{16}(\mu_6\text{-}C)$ by using bis(tri-*t*-butyl-phosphine) complexes of platinum and palladium, 113
Bioorganometallic chemistry
Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1′-ferrocenylene unit, 131
Boron
Novel zwitterionic heterocycles containing hypervalent tin, 188
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
Bridging ligands
Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260

Calamitic Pd(II) complexes
Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3\text{-}C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3\text{-}C_3H_5)(\mu\text{-}pz^{R2})]_2\cdot CH_2Cl_2$ ($R=C_6H_4OC_{12}H_{25}$). Part III, 26
Carbene complexes
Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260
Carbenes
Novel zwitterionic heterocycles containing hypervalent tin, 188
Carbonyl
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Chemical vapor deposition
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
Chromium(II)
Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
Cluster
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Cobaltocene
Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123
CO insertion
CO insertion reaction of zirconacyclopentadienes, 108
Conformational polymorphism
Ferrocene compounds: Part XXXIII. Synthesis and characteriza-

Elsevier B.V.
doi:10.1016/S0022-328X(03)00878-7

tion of amino acids containing skeletal 1,1′-ferrocenylene unit, 131
Coordination
Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
C-Pyridine
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
Cross-coupling
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Crystal structure
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-}(Me_2Ga\text{-}\mu\text{-}OCH(C_6H_5)CH(CH_3)\text{-}\mu\text{-}NHCH_3)]_2$, 102
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=$PhP(CH_2CH_2CH_2PCy_2)_2$), 85
Crystal structures
Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123
Cyclic voltammetry
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
Cyclopentadienyl
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
Cyclopentadienyls
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Cyclopentenone
CO insertion reaction of zirconacyclopentadienes, 108
Cyclotrimerization
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[RuCp(CH_3CN)_3]PF_6$, 204
Density functional calculations
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-$[Pt\{\eta^3\text{-}C_3H_5\}\{\eta^1\text{-}C(PPh_3)CO\}_2]^+$, 255
DFT calculations
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[RuCp(CH_3CN)_3]PF_6$, 204
[4+2] Diels–Alder cycloaddition
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
Diels–Alder reactions
Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260
Dienes
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Diiodides
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
Dimethyl aluminium
Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240
Diphenyl carbonate
Synthesis and reactivity of phenoxycarbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
1,1′-Disubstituted
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
Double helix
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
DSC
Solid state isomerisation reactions of some ruthenium complexes, 2
Dysprosium
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
Eclipsed conformers
Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
Electrochemical properties
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
Emission
Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
Enantiopure
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
(−)-Ephedrine derivatives
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-}(Me_2Ga\text{-}\mu\text{-}OCH(C_6H_5)CH(CH_3)\text{-}\mu\text{-}NHCH_3)]_2$, 102
Ether–pyrazole ligand
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ^3N,N,O meridional or facial coordination mode, 233
Ferrocene
Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1′-ferrocenylene unit, 131
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Ferrocene-dialdehydes
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
Ferrocenes
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
[1]Ferrocenophanes
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
Formate complex
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=$PhP(CH_2CH_2CH_2PCy_2)_2$), 85
Hamilabile substituent
Synthesis and reactivity impact from electron-withdrawing substituent on the cyclopentadienyl ligand of cobalt(I)–(III) complexes, 123
2*H*-1,3,2-Diazaphosphole
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole

complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
Heck arylation
Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
Hemilabile ligand
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ^3N,N,O meridional or facial coordination mode, 233
Heterometallic
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ (PP=2PPh$_3$, dppf), 73
Hydration of nitriles
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=PhP($CH_2CH_2CH_2PCy_2)_2$), 85
Hydrido-oxo complexes
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=PhP($CH_2CH_2CH_2PCy_2)_2$), 85

Indanone
CO insertion reaction of zirconacyclopentadienes, 108
Indenone
CO insertion reaction of zirconacyclopentadienes, 108
Intramolecular hypercoordination
Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
Ion pairs
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
Iridium
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Iron
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
^{57}Iron labelled
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [^{57}Fe]ferrocene., 163
IR spectra
Mixed metal pentanuclear clusters $[MFe_4S_4(CO)_{12}]^{z-}$ (M=V, Mn and Cr; z=0, 2) and X-ray crystal structures of $[VFe_4S_4(CO)_{12}]$ and $[MnFe_4S_4(CO)_{12}]^{2-}$, 59
Isocyanide
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Isomerisation
Solid state isomerisation reactions of some ruthenium complexes, 2
Isonitrile
Solid state isomerisation reactions of some ruthenium complexes, 2

Ketenes
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-$[Pt\{\eta^3\text{-}C_3H_5\}\{\eta^1\text{-}C(PPh_3)CO\}_2]^+$, 255
Ketenylidenetriphenylphosporane
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-$[Pt\{\eta^3\text{-}C_3H_5\}\{\eta^1\text{-}C(PPh_3)CO\}_2]^+$, 255

Lanthanoid complexes
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
Lewis
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
Long-chained 3,5-disubstituted pyrazoles
Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3\text{-}C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3\text{-}C_3H_5)(\mu\text{-}pz^{R2})]_2\cdot CH_2Cl_2$ (R=$C_6H_4OC_{12}H_{25}$). Part III, 26
Magnesium
Synthesis, structure, and properties of magnesium complexes containing cyclopentadienyl and amidinate ligand sets, 224
Manganese
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Mesomorphic behaviour
Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3\text{-}C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3\text{-}C_3H_5)(\mu\text{-}pz^{R2})]_2\cdot CH_2Cl_2$ (R=$C_6H_4OC_{12}H_{25}$). Part III, 26
Molybdenum
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Molybdenum(0) complexes
Synthesis and characterization of *cis*-$Mo(CO)_4(L\text{–}L')$ and *cis*-$Mo(CO)_2(L\text{–}L')_2$ complexes of *N*(1)-methyl-2-(arylazo)imidazoles (L–L′). Correlations of spectroscopic data with substituent effects, 248
Monocyclopentadienyl
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
Mössbauer spectroscopy
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [^{57}Fe]ferrocene., 163
M(V, Mn, Cr)–Fe–S cluster compounds
Mixed metal pentanuclear clusters $[MFe_4S_4(CO)_{12}]^{z-}$ (M=V, Mn and Cr; z=0, 2) and X-ray crystal structures of $[VFe_4S_4(CO)_{12}]$ and $[MnFe_4S_4(CO)_{12}]^{2-}$, 59
Neodymium
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
N–H oxidative addition
Rhodium pincer complexes of 2,2′-bis(diphenylphosphino)diphenylamine, 149
N ligands
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
NMR
Novel zwitterionic heterocycles containing hypervalent tin, 188
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
The products formed in the reaction of $MeAlCl_2$ with alcohols (1:1), 196
N,O-Chelating arylamido ligands
Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240

Nuclear magnetic resonance
Synthesis and characterization of *cis*-$Mo(CO)_4(L-L')$ and *cis*-$Mo(CO)_2(L-L')_2$ complexes of *N*(1)-methyl-2-(arylazo)imidazoles (L–L'). Correlations of spectroscopic data with substituent effects, 248
Octamethylferrocene derivatives
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [^{57}Fe]ferrocene., 163
O2H-ataphorphirene
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
Oligosilane derivatives
Eclipsed conformers of oligosilane derivatives by intramolecular hypercoordination, 119
Organic conductors
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
Organogallium
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-}(Me_2Ga\text{-}\mu\text{-}OCH(C_6H_5)CH(CH_3)\text{-}\mu\text{-}NHCH_3)]_2$, 102
Organoindium
Synthesis and asymmetric catalytic activities of chiral organogallium and indium complexes with ephedrine derivatives as ligands. The crystal structure of $[(1R, 2S)\text{-}(Me_2Ga\text{-}\mu\text{-}OCH(C_6H_5)CH(CH_3)\text{-}\mu\text{-}NHCH_3)]_2$, 102
Organolithium
Giving phenyllithium a right-handed double-helical twist. Syntheses and crystal structures of enantiopure alkyl-, aryl-, and amidolithium aggregates, 172
Organosilicon polymer
Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
Oxidation
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
Oxidative carbonylation of phenol
Synthesis and reactivity of phenoxycarbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
Oxime reduction
Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
Palladium
Metallation of $PtRu_5(CO)_{16}(\mu_6\text{-}C)$ by using bis(tri-*t*-butyl-phosphine) complexes of platinum and palladium, 113
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Palladium–pyrazolate complexes
Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3\text{-}C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3\text{-}C_3H_5)(\mu\text{-}pz^{R2})]_2\cdot CH_2Cl_2$ ($R=C_6H_4OC_{12}H_{25}$). Part III, 26
Pentamethylcyclopentadienyl
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Pentaphenylcyclopentadienyl
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
Phenoxycarbonyl palladium complex
Synthesis and reactivity of phenoxycarbonyl palladium complex: relevant to the mechanism of oxidative carbonylation of phenol, 66
Phosphaallyl
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
Phosphine
Mixed-metal cluster chemistry 25: Mixed ligand derivatives of $MoIr_3(\mu\text{-}CO)_3(CO)_8(\eta\text{-}C_5R_5)$ (R=H, Me) and $Mo_2Ir_2(\mu\text{-}CO)_3(CO)_7(\eta\text{-}C_5H_5)_2$; X-ray crystal structures of $MoIr_3(\mu\text{-}CO)_3(CO)_6(PPh_3)_2(\eta\text{-}C_5Me_5)$ and $Mo_2Ir_2(\mu_4\text{-}\eta^2\text{-}PhC_2Ph)(\mu\text{-}CO)_4(CNBu^t)(CO)_3(\eta\text{-}C_5H_5)_2$, 41
Phosphine oxide
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Phosphonates
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Platinum
Metallation of $PtRu_5(CO)_{16}(\mu_6\text{-}C)$ by using bis(tri-*t*-butyl-phosphine) complexes of platinum and palladium, 113
Platinum, Gold
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ ($PP=2PPh_3$, dppf), 73
PNP pincer ligand
Rhodium pincer complexes of 2,2′-bis(diphenylphosphino)diphenylamine, 149
Pt complexes
A quasi-relativistic density functional study of structural and electronic properties of the bis-ketene *cis*-$[Pt\{\eta^3\text{-}C_3H_5\}\{\eta^1\text{-}C(PPh_3)CO\}_2]^+$, 255
P^V-selenide
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
P^V-sulfide
Synthesis of a *C*-pyridine-substituted 2*H*-1,3,2-diazaphosphole complex and subsequent oxidation to its P^V-sulfide and P^V-selenide derivatives, 212
2-Pyridylphosphines
Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
Quantum chemical calculations
Rhodium pincer complexes of 2,2′-bis(diphenylphosphino)diphenylamine, 149
Rhenium complexes
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=$PhP(CH_2CH_2CH_2PCy_2)_2$), 85
Rhodium complexes
Rhodium pincer complexes of 2,2′-bis(diphenylphosphino)diphenylamine, 149
Rhodium(I) complexes
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ^3N,N,O meridional or facial coordination mode, 233
Ruthenium
Metallation of $PtRu_5(CO)_{16}(\mu_6\text{-}C)$ by using bis(tri-*t*-butyl-phosphine) complexes of platinum and palladium, 113
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazo-

lyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
Ruthenium-mediated cyclotrimerization of alkynes utilizing the cationic complex $[RuCp(CH_3CN)_3]PF_6$, 204
Solid state isomerisation reactions of some ruthenium complexes, 2
Samarium
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
Silicon
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
Silver
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ (PP=2PPh$_3$, dppf), 73
Solid state
Solid state isomerisation reactions of some ruthenium complexes, 2
Solvatochromism
Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
Stereoselective synthesis
Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
Structures
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ (PP=2PPh$_3$, dppf), 73
Sugar
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Sulfide
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ (PP=2PPh$_3$, dppf), 73
Supported palladium catalyst
Silica-supported bidentate arsine palladium(0) complex: a highly active and stereoselective catalyst for arylation of conjugated alkenes, 20
Synthesis
Asymmetric synthesis of amino acids by Cr(II) complexes of natural amino acids, 143
Synthesis and structure of four-coordinate dimethyl aluminium complexes incorporating new N,O-chelating arylamido ligands, 240
Synthesis and structures
Mixed metal pentanuclear clusters $[MFe_4S_4(CO)_{12}]^{z-}$ (M=V, Mn and Cr; $z=0$, 2) and X-ray crystal structures of $[VFe_4S_4(CO)_{12}]$ and $[MnFe_4S_4(CO)_{12}]^{2-}$, 59
Tellurium
Stereospecific synthesis of phosphono-(1*Z*,3*E*)-dienyl compounds from β-phenyltelluro-vinylphosphonates and -vinylphosphine oxides, 35
Thienylene polymer
Synthesis of organosilanylene–thienylene alternating oligomers bearing ether side chains, 267
Thulium
Reduction of azobenzene by neodymium(II), dysprosium(II), and thulium(II) diiodides, 218
Tin
Novel zwitterionic heterocycles containing hypervalent tin, 188
Titanium
Novel carbohydrate-substituted cyclopentadienyls of titanium, molybdenum, manganese and iron, 14
Transfer of oxygen and hydrogen
Transfer of hydrogen, oxygen, or both hydrogen and oxygen to unsaturated substrates from $[ReH_2(O)(Cyttp)]^+$ (Cyttp=PhP($CH_2CH_2CH_2PCy_2$)$_2$), 85
Tridentate ligand
Study of the bonding properties of the bis[2-(3,5-dimethyl-1-pyrazolyl)ethyl]ether toward Rh(I): an hemilabile ligand exhibiting κ^3N,N,O meridional or facial coordination mode, 233
Tris(pyrazolyl)borate
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
Tris(pyrazolyl)methane
Reactions of ruthenium(II) tris(pyrazolyl)borate and tris(pyrazolyl)methane complexes with diphenylvinylphosphine and 3,4-dimethyl-1-phenylphosphole, 272
Tungsten
Chemoselective Diels–Alder reactions of a non-symmetrical bis(carbene)-bridged ditungsten complex with 1,3-dienes, 260
Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
Unnatural amino acids
Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1′-ferrocenylene unit, 131
Wittig–Horner reaction
Synthesis and electrochemical properties of 1,1′-bis(benzo-1,3-dithiol-2-ylidene)ferrocene derivatives as novel electron donor compounds, 49
X-ray
Novel zwitterionic heterocycles containing hypervalent tin, 188
1-Sila-[1]ferrocenophanes, structure and reactivity: Ring-opening by reactions with boron halides, 180
X-ray crystallography
Preparation of carbonyltungsten(0) complexes of 2-pyridylphosphines showing a stepwise coordination pattern by way of monodentate to chelate mode, 79
X-ray diffraction
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263
The products formed in the reaction of $MeAlCl_2$ with alcohols (1:1), 196
X-ray single crystal analysis
Ferrocene compounds: Part XXXIII. Synthesis and characterization of amino acids containing skeletal 1,1′-ferrocenylene unit, 131
X-ray single-crystal crystallography
Heterometallic multinuclear PtM (M=Au, Ag) structural assemblies from dinuclear $[Pt_2(PP)_2(\mu\text{-}S)_2]$ (PP=2PPh$_3$, dppf), 73
X-ray structure
Bridged 3,5-disubstituted pyrazolate ligands as support of metallomesogens containing $[Pd(\eta^3\text{-}C_3H_5)]^+$ fragments: X-ray crystal structure of $[Pd(\eta^3\text{-}C_3H_5)(\mu\text{-}pz^{R2})]_2\cdot CH_2Cl_2$ (R=$C_6H_4OC_{12}H_{25}$). Part III, 26
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
X-ray structures
Effects of metal atom motion and ring rotation in iron organometallics. Synthesis of isotopically labelled nonamethyl [^{57}Fe]ferrocene., 163
Zirconacyclopentadiene
CO insertion reaction of zirconacyclopentadienes, 108
Zirconaindene
CO insertion reaction of zirconacyclopentadienes, 108
Zirconocene
Synthesis, characterization and structures of zirconocene complexes of sterically demanding pentaphenylcyclopentadienyl and tetraphenyl-*m*-tolyl cyclopentadienyl ligands, 8
Zwitterions
Synthesis and structural characterization of unusual amido samarium(III) complexes, 263